



Size	L	D	D1	D2	b	n-d	H	W	W.T(kg)
DN40	240	150	110	84	18	4-19	230	150	12.0
DN50	250	165	125	99	20	4-19	250	150	13.9
DN65	270	185	145	118	20	4-19	280	150	17.9
DN80	280	200	160	132	22	8-19	310	180	22.9
DN100	300	220	180	156	24	8-19	349	195	29.2
DN125	325	250	210	184	26	8-19	395	195	47.4
DN150	350	285	240	211	26	8-23	456	225	53.3
DN200	400	340	295	266	30	12-23	537	225	80.6
DN250	450	405	355	319	32	12-28	659	285	123.9
DN300	500	460	410	370	32	12-28	718	400	175.4
DN350	550	520	470	429	36	16-28	870	400	270.0
DN400	600	580	525	480	38	16-31	941	400	462.0

Design Specification
 Design confirm to DIN3352
 Connections confirm to EN 1092-2
 Face to face confirm to DIN3202 F5
 Pressure Rating: PN16

Item	Part Name	Material	Item	Part Name	Material
1	Body	EN-GJL-250	7	Bonnet Gasket	Graphite
2	Seat Ring	Brass	11	Packing	Graphite
3	Wedge	EN-GJL-250	12	Stem Sealing	EPDM O-Ring
4	Wedge Ring	Brass	13	Stuffing Box	EN-GJL-250
6	Stem	AISI 420	14	Gland Follower	EN-GJL-250

DN40-DN300 DIN3352 F5 NRS Gate Valve



DWG NO. B300NMGV

